## Formosa PetroChemical Corporation

# PRODUCT SPECIFICATION

Product Name: 98 Unleaded Gasoline



Issue Date: Apr 01,2021

Version:6.2 Page: 1/3

1. Product NO.: MG-98

2. Usage : Applicable to Spark-ignition engine or already set up exhaust catalytic converter


engine use

#### 3. Quality:

No.	Items	Unit	Limitation		Test Method			
			Min.	Max.	ASTM			
1	Appearance		Clear/Bright		D4176			
2	Density , 15°C	g/mL	0.720	0.775	D1298 D4052			
3	Research octane number, RON	Grade	98.0		D2699			
4	Copper corrosion, 50°C, 3h	Grade	NO.1		D130			
5	Oxidation stability, Induction period, 100°C	min	240		D525			
6	Solvent-washed gum	mg/100mL		4	D381			
7	Benzene content	vol%		$0.9^{(1)}$	D5580			
8	Sulfur content	mg/kg		10.0 <sup>(1)</sup>	D2622 D5453			
	Oxygen content							
9	Have not fuel ethanol	mass %		2.7 <sup>(1)</sup>	D4815			
	Have fuel ethanol	mass %		3.24 <sup>(1)</sup>	D4815			
10	Fuel ethanol contain	vol%		3.0	D4815			
11	Lead content	mg/L		5	D5059C			

# Formosa PetroChemical Corporation

## PRODUCT SPECIFICATION





Issue Date: Apr 01,2021

Version:6.2 Page: 2/3

No.	Items	Unit	Limitation		Test Method			
			Min.	Max.	ASTM			
12	Aromatics content	vol%		35	D5580			
13	Olefins content	vol%		18	D6296 D6730			
14	Vapor pressure , 37.8°C							
	Have not fuel Ethanol	kPa	45	60.0 <sup>(1)</sup>	D323 D5191			
	Have fuel ethanol	kPa	45	66.9 <sup>(1)</sup>	D323 D5191			
15	Distillation							
	Evaporated 10 vol% (T <sub>10</sub> )	°C		70	D86			
	Evaporated 50 vol% (T <sub>50</sub> )	°C		121	D86			
	Evaporated 90 vol% (T <sub>90</sub> )	°C		190	D86			
	End boiling point	°C		225	D86			
	Distillation residue	vol%		2.0	D86			
	Drivability index			597				
16	Toluene content (2)	wt%	Report		D5580			
17	Ethylbenzene content (2)	wt%	Report		D5580			
18	p/m-xylene content (2)	wt%	Report		D5580			
19	0-xylene content (2)	wt%	Report		D5580			

### Formosa PetroChemical Corporation

## PRODUCT SPECIFICATION

Product Name: 98 Unleaded Gasoline



Issue Date: Apr 01,2021

Version: 6.2 Page: 3/3

#### Note:

- 1. Gasoline and diesel oil sold in Taiwan need accord to Environmental Protection Administration declaration of 「Mobile pollution source fuel composition control standard」 regulation.
- 2. Assort with the EPA air pollution control fee of stationary source, we are mandated to perform the additional inspections.
- 3. The quality of unleaded gasoline for vehicles, other commends refer to the description of CNS 12614 Appendix B, please.
- 4. If the description of criterion is not detailed, please refer to the CNS 12614.